

LBWC TAC

February 28, 2013

Benthic Chlorophyll-a Target – Applicable Timeframe

Troy Smith
Watershed Coordinator




January 10, 2013

LBWC Voted to Support:

- A mean benthic chlorophyll-a biomass target of $\leq 150 \text{ mg/m}^2$
 - In the impaired Assessment Units (AU) of the Lower Boise River
 - Tributary impairment to be assessed later
 - In “wadeable” portions of the river
 - Areas with flow and depth that can be safely sampled, typically $< 1 \text{ m}$
 - The July 1 – September 30 “growing season”

DEQ Benthic Chlorophyll-a Target Period Recommendation

- July 1 through November 30
- Modeling may guide additional target timeframe refinement



Ensuring Target Reflects Periphyton “Growing Season”

- **LBWC Feedback**


- ✓ Year-round target
- ✓ Provisional irrigation season (~April 15 – Oct. 15)
- ✓ Mechanistic modeling

- **SR-HC Obligations**

- ✓ 0.07 mg/L TP (May 1 – September 30)
- ✓ Used to calculate TMDL

DEQ Benthic Chlorophyll-a Target Period Recommendation

- July 1 through November 30
- Modeling may guide additional target timeframe refinement



Contact Information

Troy Smith
Idaho Department of Environmental Quality
Boise Regional Office
1445 N. Orchard St.
Boise, ID 83706
208-373-0434
Troy.Smith@deq.idaho.gov

